Heat Transfer Asian Research
Subject Index to Volume 37, 2008

Absorption chiller: **1**, 431-444
Absorption rate: **1**, 431-444
Activity energy: **6**, 86-93
Aero-thermodynamic: **4**, 218-223
Aerospace propulsion system: **2**, 329-338; **4**, 208-217, 232-239
Analytical solution: **2**, 374-386
Anisotropic scattering: **5**, 138-152
Artificial neural network: **3**, 283-289
Aspect ratio: **7**, 20-28
Asymmetric radiation: **3**, 259-274
Asymmetrical hairpin vortex: **8**, 471-484

Backdraft: **5**, 153-164
Barrier: **8**, 460-470
Bed voidage: **5**, 184-196
Binary aqueous solution: **2**, 359-373
Bioheat transfer equation: **2**, 374-386
Biological components and systems: **2**, 374-386
Bionic super-hydrophobic surface: **1**, 412-420
Blast-cap: **2**, 352-358
Boundary layer: **1**, 398-411; **8**, 471-484

Centrifugal force: **2**, 329-338
Characteristics of condensation heat transfer: **3**, 275-282
Charge pattern: **2**, 352-358
Chromatography: **7**, 1-10
Circular orifice: **8**, 445-449
Coefficient of performance: **6**, 101-114
Coke descending: **2**, 352-358
Coke distribution: **2**, 352-358
Coke dry quenching (CDQ): **2**, 352-358
Compound parabolic concentrator: **3**, 259-274
Concentration gradient: **1**, 387-397
Condensation: **6**, 101-114; **8**, 499-513
Contact angle: **1**, 412-420
Convection heat transfer: **4**, 197-207
Cooling effectiveness: **4**, 232-239
Correlation: **5**, 127-137

Discharge coefficient: **7**, 20-28
Dispersed finned surface: **8**, 499-513
Dissociation probability: **8**, 485-498
Double-decker structure: **4**, 232-239
DRESOR method: **5**, 138-152
Drop movement: **1**, 387-397
Droplet rotation: **1**, 421-430
Drying: **3**, 290-312
Dustpan-shaped hole: **4**, 208-217

Electrochemistry: **4**, 240-257
Electromagnetic levitation: **1**, 421-430
Electronic cooling: **8**, 460-470
Enclosure: **2**, 329-338
Experiment: **5**, 127-137
Experimental correlation formula: **3**, 275-282
Experimental study: **2**, 329-338

Film boiling: **7**, 41-55
Film cooling: **4**, 208-217, 232-239
Finite element method: **3**, 313-328
Fire: **5**, 153-164
Fire dynamics simulator: **5**, 153-164
Five-hole probe: **7**, 20-28
Flow boiling: **4**, 224-231
Flow field: **7**, 20-28
Flow visualization: **8**, 445-449
Fluid flow around a cylinder: **7**, 11-19
Fluidized bed: **5**, 127-137, 184-196
Fluxmeter: **3**, 259-274
Forced convection: **2**, 359-373; **8**, 460-470
Fourier number: **2**, 359-373
Free surface: **7**, 11-19
Friction factor: **4**, 197-207
Frost deposition: **1**, 412-420

Grooved channel: **4**, 240-257
Grooved duct: **6**, 68-85

Hairpin vortex: **1**, 398-411
Hand: **6**, 94-100
Heat and mass transfer: **3**, 290-312
Heat conduction: **2**, 374-386; **6**, 101-114
Heat exchanger: **6**, 101-114
Heat pipe: **6**, 68-85

Heat transfer: **1**, 387-397, 398-411; **2**, 339-351, 359-373; **5**, 127-137; **6**, 101-114; **7**, 11-19; **8**, 460-470, 471-484
Heat transfer coefficient: **1**, 431-444
Heat transfer design: **3**, 313-328
Heat transfer enhancement: **8**, 499-513
Heat transportation: **6**, 68-85
Heat transportation enhancement: **6**, 68-85
Heat treatment: **6**, 57-67
Helix angle: **3**, 275-282
High-temperature stability: **6**, 57-67
Hill: **1**, 398-411; **8**, 471-484
Human thermal model: **6**, 94-100
Hydrogen absorbing metal: **5**, 165-183
Hydrogen absorption enhancement: **5**, 165-183
Hydrogen storage: **5**, 165-183

Ice cylinder: **2**, 359-373
Impingement cooling: **7**, 20-28
Impinging jet: **8**, 445-449
Instability: **4**, 224-231
Internal finned tubes: **7**, 29-40
Inverse problem: **3**, 313-328

Jet array arrangement: **7**, 20-28
Jet impingement: **4**, 232-239

Lennard-Jones fluid: **6**, 86-93
Liquid-solid: **5**, 127-137
Liquid-solid two-phase flow: **5**, 184-196
Local transfer: **8**, 445-449
Lotus effect: **1**, 412-420

Magnetohydrodynamic (MHD): **7**, 11-19
Marangoni condensation: **1**, 387-397
Mass transfer: **2**, 359-373; **4**, 240-257
Mass transfer coefficient: **1**, 431-444
Measurement technique: **6**, 115-126
Melting: **2**, 359-373
Melting Nusselt number: **2**, 359-373
MEMS: **4**, 224-231
Microchannel: **4**, 197-207
Molecular dynamics: **6**, 86-93; **8**, 485-498
Molten metal droplet: **7**, 41-55
Monte Carlo method: **5**, 138-152

Natural convection: **2**, 339-351; **6**, 115-126
Newtonian liquid: **6**, 115-126
Nozzle: **8**, 445-449
Nozzle contraction effect: **8**, 445-449
Nucleation barrier: **1**, 412-420
Numerical analysis: **3**, 313-328; **6**, 68-85
Numerical simulation: **1**, 398-411; **6**, 86-93; **8**, 471-484

Optical organism: **3**, 283-289
Optimum design: **3**, 313-328
Oscillating droplet method: **1**, 421-430
Oscillatory flow: **6**, 68-85

Particle holdup: **5**, 184-196
Performance evaluation: **7**, 29-40
Phase change: **1**, 387-397
Phase unwrapping method: **1**, 421-430
Porous medium: **2**, 329-338; **3**, 290-312
Pressure drop: **4**, 197-207
Probe: **7**, 1-10
Properties: **3**, 283-289
Pulsation: **4**, 240-257

Quenching: **7**, 41-55

Radiation flux: **3**, 259-274
Radiation intensity: **5**, 138-152
Radiative heat transfer: **3**, 259-274
Rayleigh's theory: **1**, 421-430
Refrigerant: **6**, 101-114
Ridge: **7**, 29-40
Rotating Reynolds number: **2**, 359-373

Sampling: **7**, 1-10
Saturation pressure: **1**, 431-444
Self-diffusion coefficient: **6**, 86-93
Separation: **1**, 398-411; **4**, 240-257; **8**, 471-484
Shape optimization: **3**, 313-328
Shear flow: **8**, 445-449, 471-484
Silicon microchannel: **4**, 224-231
Solubility limit: **1**, 431-444
Spherical harmonics: **1**, 421-430
Spirally corrugated tube: **3**, 275-282
Stack effect: **5**, 153-164
Stratified flow: **4**, 224-231
Superposition method: **4**, 208-217
Surface temperature gradient: **1**, 387-397
Surface tension: **1**, 387-397, 421-430

Temperature field: **6**, 94-100
Thermal comfort: **3**, 259-274
Thermal control: **8**, 460-470
Thermal corridor: **4**, 218-223
Thermal diffusivity: **6**, 57-67
Thermal motion: **8**, 485-498
Thermal protection: **4**, 218-223

Thermo-driving heat transfer: **2**, 329-338
Thermophysical property: **2**, 374-386
Townhouse building: **5**, 153-164
Traction method: **3**, 313-328
Turbulent transition: **2**, 339-351

Unsteady flow: **1**, 398-411; **8**, 471-484
Upward-facing horizontal disks: **2**, 339-351
Urban street canyon: **3**, 259-274

Vapor explosion: **7**, 41-55
Vapor mixture: **1**, 387-397
Viscosity: **6**, 115-126
Visualization: **7**, 41-55

Water-ethanol: **1**, 387-397
Wave-like longitudinal fins: **7**, 29-40

Yttria-stabilized zirconia: **6**, 57-67